

WHAT TO EXPECT AFTER YOUR EUFLEXXA INJECTIONS

Please see Important Safety Information on back cover and Full Prescribing Information in pocket.

What should I do after receiving a EUFLEXXA injection?

- Avoid physical activity for 48 hours after receiving your EUFLEXXA injection to keep your knee from swelling
- Ice your knee if you have any mild pain or swelling near the injection site²
- Avoid standing on your feet for more than 1 hour at a time during the first 48 hours following the injection²
- Ask your healthcare provider when you should begin major physical activities again²
- Call your doctor immediately if you experience joint pain, back pain, limb/muscle pain, joint swelling, or any other problems²



What should I expect from treatment with EUFLEXXA?

- Some people experience moderate pain relief after the 1st or 2nd injection of EUFLEXXA.
- Most people experience significant relief after the 3rd (last) injection.
- For maximum pain relief, be sure to get all 3 injections.
- When it comes to duration of pain relief, each person is different. In general,
 1 course of 3 EUFLEXXA injections has been shown to provide up to 6 months of knee pain relief.²
- The most common adverse events related to EUFLEXXA injections were joint pain, back pain, limb pain, muscle pain, and joint swelling.

Please see Important Safety Information on back cover and Full Prescribing Information in pocket.

SCHEDULE ALL 3 INJECTIONS TODAY!

1	date:	time:
---	-------	-------

- 2 date: time:
- 3 date: time:

INDICATION

EUFLEXXA (1% sodium hyaluronate) is used to relieve knee pain due to osteoarthritis. It is used for patients who do not get enough relief from simple pain medications such as acetaminophen or from exercise and physical therapy.

EUFLEXXA is only for injection into the knee, performed by a doctor or other qualified healthcare professional.

IMPORTANT SAFETY INFORMATION

- Do not take this product if you have had any previous allergic reaction to EUFLEXXA or hyaluronan products.
- You should not have EUFLEXXA injected into the knee if you have a knee joint infection or skin diseases or infections around the injection site.
- EUFLEXXA has not been tested in pregnant women, women who are nursing or children less than 18 years of age. After you receive your EUFLEXXA injection you should avoid physical activities for 48 hours such as jogging, tennis, heavy lifting, or standing on your feet for a long time (more than one hour at a time).
- The most common adverse events related to EUFLEXXA injections were joint pain, back pain, limb pain, muscle pain, and joint swelling.

Please see enclosed Full Prescribing Information in pocket.



